

## LOBARO USB CONFIGURATION ADAPTER



USB adapter for configuration, firmware updates, and diagnostic logging of all Lobaro gateways. [Request a quote via email: sales@lobaro.com](mailto:sales@lobaro.com)



## DESCRIPTION

The Lobaro USB Configuration Adapter allows for easy administration of all Lobaro gateways via a PC (macOS, Windows, Linux).

### Ordering Information

- Lobaro USB Configuration Adapter V4.2 (USB cable)
- Part Number: 1201193

### Technical Specifications

- Local PC configuration (e.g., gateway parameters, time intervals, filters, certificates)
- Local firmware updates
- Diagnostic log
- 14-pin cable for Lobaro V4 series
- 6-pin cable for older Lobaro products

### Documentation

- [Online Manual \(English\)](#)
- [Download Lobaro PC Tool \(Windows, Mac, Linux\)](#)

The screenshot displays the Loboan Tool Maintenance Tool v1.1.3 interface in a web browser. The browser's address bar shows 'localhost:3030'. The interface features a top navigation bar with 'CONFIGURATION', 'LOGS', and 'FIRMWARE' tabs. On the left, a sidebar contains several sections: 'Hardware Connection' with 'Disconnect' and 'Start' buttons; 'Hardware Information'; 'Connection' showing a 'Connected' status; 'Running' showing a 'Firmware' status; 'Boot'; and 'COMS'. The main content area is titled 'CONFIGURATION' and contains a table of hardware information. The table has three columns: 'PARAMETER', 'VALUE', and a status icon. The parameters listed are Device, AppID, AppKey, SP, Tspower, comMarketingSize, smodeCron, smodeDur, rxFiber, and dmfFiber. The values for these parameters are: Device (TO 03 05 8F F0 03 20 7F), AppID (TO 03 05 7E D0 00 70 47), AppKey (5E C8 76 7F 38 66 C9 73 85 03 43 31 58 8A 8D AE), SP (31), Tspower (34), comMarketingSize (32), smodeCron (smodeCron), smodeDur (8), rxFiber (80), dmfFiber (DMF), and dmfFiber (0). The status icons for each parameter are: Device (green checkmark), AppID (green checkmark), AppKey (green checkmark), SP (green checkmark), Tspower (green checkmark), comMarketingSize (green checkmark), smodeCron (green checkmark), smodeDur (green checkmark), rxFiber (green checkmark), and dmfFiber (green checkmark).



 translated with DeepL

- [General Terms and Conditions of Sale \(GTC\)](#)
- [Online Technical Documentation \(EN\)](#)
- [Download Lobaro Maintenance Tool](#)
- [About Lobaro GmbH](#)
- [Contact Information](#)